


## NEAT OIL



### SUPRACO 1030

#### DESCRIPTION

A neat cutting oil specially developed for the general machining of ferrous and non-ferrous metals.

**SUPRACO 1030** is recommended and widely used in the automotive and mechanical industries for turning operations on brass and mild steels.

#### ADVANTAGES

- Compatible with all metals
  - High lubricating power and optimum protection against corrosion
  - User safety (no labeling) and machine safety (high flash point)
  - Can be used in a centralised system or in individual machine
  - Compatible with all types of filtration systems
  - Reduced product consumption
- Easy removal of **SUPRACO 1030** by traditional washing procedures

#### HEALTH AND SAFETY

- Free from organo-chlorinated additives
- Good dermatological behaviour and easy to use

#### TECHNICAL CHARACTERISTICS


Characteristics	Methods	Units	SUPRACO 1030
Aspect			Transparent
Colour			Light yellow
Density at 20°C	ISO 12.185	kg/l	0.870
Viscosity at 40°C	ASTM D 445	mm <sup>2</sup> /s	30
Copper stripe cotation	NTF M 07105		1a
Pour point	ASTM D 97	°C	-30
Storage			Dry, frost-free space
Flash point	ASTM D 92	°C	>230

MOTUL - 119, Bd Félix Faure BP 94 - 93303 AUBERVILLIERS CEDEX  
Tél : +33 1 48 11 70 30 Fax : +33 1 48 11 70 38

[www.motul.com](http://www.motul.com)

Version: 2.1  
Date création: 04-02-2013  
Modification: 08/2014

## NEAT OIL



## SUPRACO 1030

### APPLICATIONS

- High performance cutting oil designed for machining by chip removal of ferrous and non-ferrous metals.
- **SUPRACO 1030** is particularly suited to the machining operations of brass and mild steels.

### RECOMMENDATIONS

The MotulTech cutting oils SUPRACO range, are produced from highly refined base oils, and high quality additives. The usage of products from mineral oil requires care and caution when handling.

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance.

The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions.

To give our customers the latest technical developments, the general characteristics of our products may vary. The safety data sheet of this product is available at [www.motul.com](http://www.motul.com)

MOTUL - 119, Bd Félix Faure BP 94 - 93303 AUBERVILLIERS CEDEX

Tél : +33 1 48 11 70 30 Fax : +33 1 48 11 70 38

[www.motul.com](http://www.motul.com)

Version: 2.1

Date création: 04-02-2013

Modification: 08/2014